

GROHE PROFESSIONAL | EUPHORIA SMARTCONTROL SYSTEM 310 CUBE

SHOWER SYSTEM WITH THERMOSTAT FOR WALL MOUNTING



Article No: **26508A00**
EAN Code: **4005176557491**
Date: **Sep 03. 2026**

PRODUCT DESCRIPTION

The GROHE Euphoria SmartControl 310 Cube Shower system offers an easy, user-friendly way to the perfect shower

The GROHE Euphoria SmartControl 310 Cube Shower system makes the shower a truly safe space, by giving you a choice of spray patterns and other smart features that enhance comfort and safety. The sleek, cube shape is also a thing of beauty. The innovative GROHE SmartControl technology lets you choose and combine head and hand shower. It also lets you switch between or even combine the different spray patterns on the head shower and to vary the water flow via the push-turn control. Saving water couldn't be simpler – just switch the flow rate from full to EcoJoy. The 310mm Cube swivel head shower has two spray patterns: the GROHE PureRain spray, gentle yet immersive like a fine rain, plus the new GROHE ActiveRain spray which is powerfully invigorating, perfect for rinsing your hair after shampooing. The Euphoria Cube stick hand shower offers the classic Normal spray. GROHE DreamSpray technology means each of the head's nozzles provides an identical flow, across all spray options. Cleaning the SpeedClean silicone nozzles is effortless – they will be free of limescale after just a wipe. Thanks to GROHE TurboStat you'll enjoy a constant water temperature for your entire shower. GROHE SafeStop allows you to cap the temperature at 38°C, while SafeStop Plus gives you the further option of a 43°C cap. An additional safety feature is GROHE CoolTouch, which guarantees that the exposed thermostat's surface won't become so hot as to be untouchable. There is also the practical convenience of the built-in EasyReach tray for keeping your toiletries where you need them. The chic and durable GROHE StarLight finish will maintain its flawless looks using physical vapour deposition (PVD) for an extra level of scratch-resistance. And fitting is quick and easy with GROHE QuickFix: the upper bracket adjusts allowing existing drilling holes to be reused.

GROHE PROFESSIONAL | EUPHORIA SMARTCONTROL SYSTEM 310 CUBE

SHOWER SYSTEM WITH THERMOSTAT FOR WALL MOUNTING



PRODUCT INFORMATION

- Consisting of:
- horizontal 450 mm shower arm
- upper bracket adjustable for minimal adaption to existing drilling holes
- exposed SmartControl thermostat
- allows change between:
- head shower Rainshower SmartActive 310 Cube
- spray patterns: GROHE PureRain, ActiveRain
- maximum flow rate (at 3 bar): 20 l/min
- hand shower Euphoria Cube Stick
- maximum flow rate (at 3 bar): 16 l/min
- adjustable height via gliding element
- shower hose Silverflex 1750 mm 1/2" x 1/2" (28 388)
- **GROHE DreamSpray** - perfect spray pattern
- **GROHE CoolTouch** - no risk of scalding
- **GROHE TurboStat** - compact cartridge with wax thermoelement
- **GROHE ProGrip** - with knurled structure
- **GROHE LongLife** finish
- **GROHE SafeStop** safety button at 38°C
- **GROHE SafeStop Plus** - optional temperature limiter at 43°C included
- **GROHE SmartControl** - control the shower with intuitive push/turn button
- integrated **GROHE EasyReach** shower tray
- **GROHE SpeedClean** - effortless limescale removal
- **Inner WaterGuide** - inner insulation for surface protection
- **TwistStop** - to prevent hose from twisting
- suitable for instantaneous heaters from 18 kW/h
- minimum flow rate 5 l/min.


GROHE PROFESSIONAL | EUPHORIA SMARTCONTROL SYSTEM 310 CUBE

SHOWER SYSTEM WITH THERMOSTAT FOR WALL
MOUNTING




TECHNICAL DATA

Surface finish	Polished
Installation type	Wall-mounted exposed
Number of spray types	1 spray
Number of sprays headshower	2 sprays
Diameter headshower (mm)	310
Length of shower hose (mm)	1750
Center distance	150 mm
Type of (S-) unions	Without S-unions



FLOW PROPERTIES

Flow rate at 3bar (l)	20
Flow rate at 3bar (l) - handshower	9
Flow rate at 3bar (l) - headshower	20



SPARE PARTS

- 1 Thermostatic compact cartridge 1/2" (order no. 47439000)
- 2 Cartridge (order no. 48297000)
- 3 Non-return valve (order no. 49069000)
- 4 Non-return valve (order no. 08565000)
- 5 Sliding piece (order no. 48177A00)
- 6 Strainer (order no. 0700200M)
- 7 Outlet shower holder (order no. 48279A00)
- 9 GROHE TurboStat cartridge 1/2" (order no. 47175000)
- 10 Socket Spanner (order no. 49059000)

